



8820 Old Highway 99 SE, Olympia, Washington 98501, USA  
 360-943-6063 800-562-6184 800-445-0450 FAX 360-352-4813

**Product  
Bulletin**

## M-202 CONCENTRATED, WATER & BUTYL-BASED ALL-PURPOSE CLEANER

**M-202** is a biodegradable, heavy-duty, concentrated water and butyl-based cleaner. **M-202** contains non-flammable silicates, surfactants, water soluble solvents, and 2 percent phosphates to create one of the most effective concentrated, all-purpose cleaners on the market today.

### DIRECTIONS FOR USE (Cont'd)

To improve product performance always dilute with warm water and allow a contact time of 1 minute or more before scrubbing and rinsing. **M-202** may be used in a spray bottle, applied with a pressure sprayer, mop, cloth, brush, or sponge. Always rinse after cleaning.

### **M-202 will clean:**

Ceilings	Driveways	Fan Hoods
Floors	Formica	Glass
Leather	Plastics	Refrigerators
Showers	Tile	Walls
Yard Furniture	Exterior Painted Surfaces	

### **Recommended Dilutions For M-202:**

<b>To Clean</b>	<b>M-202</b>	<b>Water</b>
Glass	1/2 ounce	1 gallon
Pressure Washing	2 ounces	1 gallon
Vehicle Washing	2 ounces	1 gallon
Plastic & Formica	3 ounces	1 gallon
Fiberglass	3 ounces	1 gallon
Leather	3 ounces	1 gallon
Wood Furniture	3 ounces	1 gallon
Painted Surfaces	4 ounces	1 gallon
Tile & Grout	4 ounces	1 gallon
Floors	4 ounces	1 gallon
Degreasing Equipment	25 ounces	1 gallon

### **M-202 will remove:**

Grease	Gum	Ink
Lipstick	Oil	Sap
Soils	Tar	Waxes

### **SAFETY & HANDLING PROCEDURE**

This product is a mildly alkaline material. Safety glasses and impervious gloves should be worn when handling the concentrated product. Flush exposed skin with fresh water. For eye exposure, rinse for 15 minutes and contact a physician if irritation persists.

Available in 55, 5, and 1 gallon containers. Also available in totes of 250 gallons or more.

### **DIRECTIONS**

When general cleaning, **M-202** may be diluted at a rate of 1 ounce to 8 ounces per gallon of water.

### **PHYSICAL PROPERTIES**

Appearance ..... Red Liquid  
 Odor ..... Butyl  
 pH of 1% Solution ..... 10.0-12.0  
 Pounds per Gallon ..... 8.5-9.0  
 Flash Point ..... >140°F

December 11, 1997

