



8820 Old Hwy 99 SE, Olympia, Washington 98501, USA
360-943-6063 800-562-6184 FAX 360-352-4813 www.ch2o.com

**Product
Bulletin**

**MC-CHLOR 968
SAFE AND EFFECTIVE CHLORINATED CLEANER
FOR MANUAL CLEANING OF FOOD CONTACT SURFACES!**

TYPICAL APPLICATIONS

MC-CHLOR 968 is used to brighten stainless steel surfaces, as well as aluminum, galvanized, plastic, and glass surfaces. It can be used for brush, soak, high pressure, and foam cleaning. Exceptional detergent and wetting action helps emulsify food soils. It is acceptable to the USDA as a manual cleaner for use in official meat, poultry, rabbit, and egg processing plants.

MC-CHLOR 968 is a unique product because of its specially designed ingredients. It is a safe manual cleaner that rinses very well and has the ability to perform better in hard water areas. With its alkaline builders and source of organic chlorine, it will remove butter fat, rainbow (protein) films, and other starch or carbohydrate build-ups.

CONCENTRATED

MC-CHLOR 968 is used at low use-cost dilutions because of its high detergent action. Special wetting agents provide extra cleaning power with good soil penetration.

Safe to use

MC-CHLOR 968 solutions are mild to the hands when manually applying detergent. It can be used for brush, soak, high pressure, and foam cleaning.

BULK TANK CLEANING DIRECTIONS

1. Add 4 ounces **MC-CHLOR 968** to 4 quarts of hot water in a plastic or stainless steel pail.
2. Scrub inside of tank starting from the lids and top down. Keep valve closed to retain detergent for outside use.
3. Brush wash valve, outside of tank, and any parts not contacted with recovered detergent.

EXTERIOR STAINLESS STEEL SURFACES

1. Add 2 oz. **MC-CHLOR 968** to each gallon of hot water and manually scrub or brush exterior surfaces. If foaming on vertical or overhead surfaces, additional foaming agents might be needed.
2. Rinse all surfaces with water thoroughly after using **MC-CHLOR 968** and apply an acid rinse (1 ounce to 5 gallons water) to neutralize alkaline residues and leave surface shiny.

PHYSICAL PROPERTIES

Appearance Slight Yellow Powder
 Odor Chlorine
 Foam High
 Wetting Ability..... Excellent
 pH at 1 oz/gal 10.5

PRODUCT pH INDICATOR
 ----- acid ---- neutral ---- alkaline -----
 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14
 ↑

Seller Warranty

Applies to all products sold by CH₂O, Inc., and is hereby communicated to all of its customers as a condition of sale.

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose referred to in the directions for use when used in accordance with the directions under normal conditions. Buyer assumes the risk of any use contrary to such directions. Seller makes no other warranty or representation of any kind, express or implied, concerning the product, including **NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OF THE GOODS FOR ANY OTHER PARTICULAR PURPOSE**. No such warranties shall be implied by law and no agent of seller is authorized to alter this warranty in any way except in writing with a specific reference to this warranty. The exclusive remedy against seller shall be a claim for damages not to exceed the purchase price of the product, without regard to whether such a claim is based upon breach of warranty or tort. Jurisdiction for any issues arising from or relating to this product shall be in the courts of the State of Washington and the venue shall be Thurston County. Any controversy or claim arising out of or relating to this contract, or breach thereof, shall be settled by arbitration in accordance with the rules and procedures as stated in RCW 7.06 and shall be binding upon both parties without right to appeal, and judgment upon the award rendered by the Arbitrator(s) may be entered in any court having jurisdiction thereof.

March 31, 1997 (Rev. 09-11)

