



8820 Old Hwy 99 SE, Tumwater, Washington 98501, USA
360-943-6063 800-562-6184 FAX 360-352-4813 www.ch2o.com

**FOAM-CHEK 707
CONCENTRATED, FOOD GRADE, SILICONE-BASED ADDITIVE
ELIMINATES FOAM UPON CONTACT!**

CONCENTRATED

FOAM-CHEK 707 has been formulated specifically for direct contact with fruit and vegetables.

CONVENIENT

FOAM-CHEK 707 is a liquid concentrate which can be accurately and efficiently dispensed through automatic feed and control systems.

NO FOAMING

High surface tension creates small stable bubbles. **FOAM-CHEK 707** is a surface-active material which reduces surface tension. Processing waters contaminated intentionally by soap and detergent addition can be defoamed in subsequent rinsing systems.

FREE RINSING

Surface active agents in **FOAM-CHEK 707** are carefully selected to provide excellent rinsing ability.

SAFETY & HANDLING PROCEDURE

FOAM-CHEK 707 is a mild irritant. Sensitive people may develop dermatitis upon prolonged or repeated contact.

TYPICAL APPLICATIONS


FOAM-CHEK 707 is designed to be used for fast breakdown of foam in open water systems. The blend of silicone defoamers used will suppress subsequent foaming.

GENERAL DIRECTIONS

FOAM-CHEK 707 should be used at a minimum of 1 to 2 ounces per 1,000 gallons of water in the system. Additional amounts may be required depending upon the concentration and nature of the foam-causing contaminants. As referenced in 21 CFR Part 173.340, **Defoaming Agents**, there is a limitation of 10 parts per million of dimethylpolysiloxane in food. In this light, we recommend a maximum use-rate of 25.6 fluid ounces of **FOAM-CHEK 707** per 1,000 gallons of water. Consult your CH₂O, Inc., Technical Representative for further information.

PHYSICAL PROPERTIES

Appearance..... Opaque White Liquid
Odor Mild
Foam Foam Eliminator
pH of 1% Solution6.0-8.0
Pounds per Gallon8.2-8.7



Seller Warranty

CH₂O brand test reagent refills are available through your sales representative at no charge. Customers are required to confirm product compatibility via a control test for their specific application. CH₂O recommends that you perform regular/daily testing to control chemical levels and cycles of concentration within established limits. Additional tests may be performed at your request. Test reports reflect conditions at the point when the analysis was performed. Results will change over time and with varying operating conditions.

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose referred to in the directions for use when used in accordance with the directions under normal conditions. Buyer assumes the risk of any use contrary to such directions. Seller makes no other warranty or representation of any kind, express or implied, concerning the product, including NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OF THE GOODS FOR ANY OTHER PARTICULAR PURPOSE. No such warranties shall be implied by law and no agent of seller is authorized to alter this warranty in any way except in writing with a specific reference to this warranty. The exclusive remedy against seller shall be a claim for damages not to exceed the purchase price of the product, without regard to whether such a claim is based upon breach of warranty or tort. Jurisdiction for any issues arising from or relating to this product shall be in the courts of the State of Washington and the venue shall be Thurston County. Any controversy or claim arising out of or relating to this contract, or breach thereof, shall be settled by arbitration in accordance with the rules and procedures as stated in RCW 7.06 and shall be binding upon both parties without right to appeal, and judgment upon the award rendered by the Arbitrator(s) may be entered in any court having jurisdiction thereof.

Applies to all products sold by CH₂O, Inc., and is hereby communicated to all of its customers as a condition of sale. Use of CH₂O products is subject to the Standard Terms and Conditions as listed on CH₂O, Inc.'s website at: www.ch2o.com.

