MXT-2

ACTIVE INGREDIENT(S):

Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)ethylene dichloride	20%
OTHER INGREDIENTS:	80%
TOTAL	00%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

If Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
lf on Skin, Clothes	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control center or doctor for treatment advice. 	
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. 	

HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

For Occupation Use:

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation, Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt, long pants, shoes, socks, and chemical resistant gloves made of any waterproof material (such as any waterproof material, such as Barrier Laminate, Butyl Rubber, Nitrile Rubber, Neoprene Rubber, Natural Rubber, Polyethylene, Polyvinyl Chloride (PVC) or Viton).

USER SAFETY RECOMMENDATIONS: User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

USER SAFETY REQUIREMENTS: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exists, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched (except as required by directions for use) or heavily contaminated with this products concentrate. Do not reuse them.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Wear protective every every (goggles or face shield). Wear long sleeved shirt and long pants, socks, shoes, chemical-resistant apron and chemical resistant gloves (such as any waterproof material, such as Barrier Laminate, Butyl Rubber, Nitrile Rubber, Neoprene Rubber, Natural Rubber, Polyethylene, Polyvinyl Chloride (PVC) or Viton).

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic organisms and clams. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is used to control the growth of algae in decorative fountains that do not contain fish. It is also used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers and recirculating cooling systems.

WATER COOLING TOWERS: Prior to the use of this product in water cooling towers, clean the systems to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 2.9 to 7.3 fluid ounces of this product per 1000 gallons of water to provide 24 to 60 ppm this product, based on the total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition depends of 0.73 to 7.3 fluid ounces of this product per 1000 gallons of water to provide 24 to 60 ppm this relative amount of bleedoff and the severity of the microbiological problem. Make slug additions into the sump of water cooling towers.

DECORATIVE FOUNTAINS: This product is used to control the growth of algae in decorative fountains that do not contain fish. Manually clean heavy growths of algae prior to treatment. Fountains with just visible algae growth require an initial dose of 4 to 6 fluid ounces of this product per 1000 gallons of water. To treat a freshly cleaned and filled fountain, add 2 to 4 fluid ounces of this product per 1000 gallons of water. For maintenance dosages, add 1 to 2 fluid ounces of this product per 1000 gallons of water every 5 to 7 days as needed. Make sure this product is added at a point where it can be uniformly distributed. This product may be used in fountains treated with chlorine chemicals, but do not mix this product with concentrated dry or liquid chlorine products.

INDUSTRIAL AIR WASHING SYSTEMS: This product is used to control bacteria in industrial air washing systems that maintain effective mist eliminating components. Prior to its use clean the systems to remove bacterial slime and other deposits. Use an initial slug dose of 11.8 to 18.3 fluid ounces of this product per 1000 gallons of water. Repeat initial dosage until control is evident. Make subsequent slug additions of vater each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Make slug additions into the sump or into the water collection trays of the airwash system.

STORAGE AND DISPOSAL

Nonrefillable Containers, capacity of 5 gallons or less

Do not contaminate water, food, or feed by storage or disposal. Do not ship with Food, Feed, Drugs, or Clothing.

STORAGE: Keep container closed when not in use. In case of spills, use sawdust or sand to absorb the spilled pesticide and disposed of in a sanitary landfill.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility. CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container & full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use

or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Then offer for recycling if available or reconditioning, if appropriate, or by other procedures if approved by state and local authorities.

Nonrefillable Containers, capacity of greater than 5 gallons

Do not contaminate water, food, or feed by storage or disposal. Do not ship with Food, Feed, Drugs, or Clothing.

STORAGE: Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. In case of spills, use sawdust or sand to absorb the spilled pesticide and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container '/ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinseate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this

procedure two more times. Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, by other procedures if approved by state and local authorities.

Commercial

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Keep container closed when not in use and away from children and persons unfamiliar with its use. Store away from food. Leaking or damaged containers must be placed in a plastic bag and discarded in the trash. Mop up spills with clean water.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill empty container. Triple rinse or equivalent. Offer for recycling or puncture and discard in sanitary landfill or by other procedures if approved by state and local authorities.



8820 Old Hwy. 99 SE / Tumwater, WA 98501 / Tel. No. (360) 943-6063

EPA Reg. No. 1448-62-43553

Product Weight 8.7 lbs/gal 1.04 kg/I NET CONTENTS MARKED ON CONTAINER

HMIS/NPCA RATING Health 1 Flammability 1 Reactivity 0

Revised: 03/12/2020