

8820 Old Hwy 99 SE, Tumwater, Washington 98501, USA 360-943-6063 800-562-6184 FAX 360-352-4813 www.ch2o.com

Product Bulletin

M-222 LUSTER BOWL THE BATHROOM PROBLEM SOLVER!

APPLICATION

M-222 LUSTER BOWL combines stain and scale removers, soil emulsifiers and deodorants into one fastacting formula that leaves toilet bowls, urinals, sinks and tubs sparkling clean with a fresh scent. **M-222 LUSTER BOWL** is an ideal product for removing iron stains, mineral scale, and soils from your bathroom fixtures.

USE EXTREME CAUTION WHEN APPLYING **M-222 LUSTER** BOWL ON PORCELAIN OR GLASS SURFACES. THE PRODUCT CAN ETCH IF ALLOWED TO REMAIN ON THESE SURFACES TOO LONG.

DIRECTIONS FOR USE

TOILET BOWLS: Remove most of the water from the bowl. Apply **M-222 LUSTER BOWL** evenly over the surface with a bowl swab, mop, or sponge. Allow product to remain on surface and work for 5 to 10 minutes, then rinse the surface well with water and flush.

BATHTUBS, SINKS, & SHOWERS: M-222 LUSTER **BOWL** is ideally suited for removing the combination of soap, dirt, body oils, stains, and mineral deposits found on porcelain bathtubs, sinks and showers.

DIRECTIONS FOR USE, Cont'd.

Dilute 5 ounces of **M-222 LUSTER BOWL** per quart of water. Apply to the dirty surface with a sponge and let the solution work for 1 minute before rinsing clean. Very dirty or stained surfaces may require several applications.

SAFETY & HANDLING PROCEDURE

This is an acidic product. Impervious gloves should be worn when handling as prolonged or related exposure can cause irritation and/or burns. If a potential for eye exposure exists, safety glasses should also be worn. Read the Safety Data Sheet for additional handling and first aid directions.

NEVER MIX LUSTER BOWL WITH OTHER CLEANERS

PHYSICAL PROPERTIES

pH of 1% Solution	1.0-3.0
Pounds per Gallon	9.7-10.2
Physical Appearance	Pink Liquid
Odor	Wintergreen

Seller Warranty

CH₂O brand test reagent refills are available through your sales representative at no charge. Customers are required to confirm product compatibility via a control test for their specific application. CH₂O recommends that you perform regular/daily testing to control chemical levels and cycles of concentration within established limits. Additional tests may be performed at your request. Test reports reflect conditions at the point when the analysis was performed. Results will change over time and with varying operating conditions.

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose referred to in the product data sheet. Buyer is responsible to ensure that products and product dosages are appropriate for Buyer's particular application. Seller makes no other warranty or representation of any kind, express or implied, concerning the product, including NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OF THE GOODS FOR ANY OTHER PARTICULAR PURPOSE. No such warranties shall be implied by law and no agent of seller is authorized to alter this warranty in any way except in writing with a specific reference to this warranty. The exclusive remedy against seller shall be a claim for damages not to exceed the purchase price of the product, without regard to whether such a claim is based upon breach of warranty or tort. Jurisdiction for any issues arising from or relating to this product shall be in the courts of the State of Washington and the venue shall be Thurston County. Any controversy or claim arising out of or relating to this contract, or breach thereof, shall be settled by arbitration in accordance with the rules and procedures as stated in RCW 7.06 and shall be binding upon both parties without right to appeal, and judgment upon the award rendered by the Arbitrator(s) may be entered in any court having jurisdiction thereof.

Applies to all products sold by CH₂O, Inc., and is hereby communicated to all of its customers as a condition of sale. Use of CH₂O products is subject to the Standard Terms and Conditions as listed on CH₂O, Inc.'s website at: www.ch2o.com.



ASSOCIATION OF WATER TECHNOLOGIES

VERSION DATE: December 11, 1997 REVISION DATE: December 2014