



8820 Old Hwy 99 SE, Tumwater, Washington 98501, USA
360-943-6063 800-562-6184 FAX 360-352-4813 www.ch2o.com

**Product
Bulletin**

SUNNY SHINE RINSE AID AND SHINE BUILDER

TYPICAL APPLICATIONS

SUNNY SHINE incorporates cationic emulsifiers with sheeting agents. The cationic emulsifiers function to ensure rapid and uniform deposition of a thin film of sheeting agent on the painted surfaces of vehicles.

DIRECTIONS FOR USE

SUNNY SHINE is a concentrated material and must be diluted before use. Apply use-solution of **SUNNY SHINE** as a final step in the washing process, immediately before forced air-drying. Alternatively, the surface can be allowed to dry unaided.

Surfaces treated with **SUNNY SHINE** will have increased gloss. The thin, uniform coating left by **SUNNY SHINE** will form a barrier against the elements. **SUNNY SHINE** has a pleasant citrus fragrance, and will leave the car and the tunnel smelling clean and "lemon-like".

CONVENTIONAL APPLICATION

Dilute 10 gallons of **SUNNY SHINE** into 55 gallons of water, and then apply approximately 6 ounces of diluted solution onto each car. Consult your CH₂O technical representative for further recommendations based upon each particular application.

FREE RINSING

When used properly, **SUNNY SHINE** will cause water to "sheet" from vehicle surfaces leaving a protective barrier and yielding an excellent shine.

SAFETY & HANDLING PROCEDURE

SUNNY SHINE is a neutral pH solution. Safety glasses and impervious gloves should be worn when handling to minimize contact with the concentrated product. Impervious gloves should be worn for prolonged or repeated exposure to product use-solutions.

PHYSICAL PROPERTIES

Appearance Yellow Liquid
Odor Moderate, Lemon
Pounds per Gallon 7.8-8.3
pH of 1% Solution 6.0-8.0
Flash Point >200°F

Seller Warranty

CH₂O brand test reagent refills are available through your sales representative at no charge. Customers are required to confirm product compatibility via a control test for their specific application. CH₂O recommends that you perform regular/daily testing to control chemical levels and cycles of concentration within established limits. Additional tests may be performed at your request. Test reports reflect conditions at the point when the analysis was performed. Results will change over time and with varying operating conditions.

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose referred to in the product data sheet. Buyer is responsible to ensure that products and product dosages are appropriate for Buyer's particular application. Seller makes no other warranty or representation of any kind, express or implied, concerning the product, including NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OF THE GOODS FOR ANY OTHER PARTICULAR PURPOSE. No such warranties shall be implied by law and no agent of seller is authorized to alter this warranty in any way except in writing with a specific reference to this warranty. The exclusive remedy against seller shall be a claim for damages not to exceed the purchase price of the product, without regard to whether such a claim is based upon breach of warranty or tort. Jurisdiction for any issues arising from or relating to this product shall be in the courts of the State of Washington and the venue shall be Thurston County. Any controversy or claim arising out of or relating to this contract, or breach thereof, shall be settled by arbitration in accordance with the rules and procedures as stated in RCW 7.06 and shall be binding upon both parties without right to appeal, and judgment upon the award rendered by the Arbitrator(s) may be entered in any court having jurisdiction thereof.

Applies to all products sold by CH₂O, Inc., and is hereby communicated to all of its customers as a condition of sale. Use of CH₂O products is subject to the Standard Terms and Conditions as listed on CH₂O, Inc.'s website at: www.ch2o.com.



VERSION DATE: July 25, 2007 | REVISION DATE: September 2011

