



8820 Old Hwy 99 SE, Tumwater, Washington 98501, USA  
360-943-6063 800-562-6184 FAX 360-352-4813 www.ch2o.com

**Product  
Bulletin**

## **FREEZER-KLEEN NON-FREEZING GENERAL DUTY CLEANER**

### **TYPICAL APPLICATIONS**

**FREEZER-KLEEN** is recommended for use in/on freezers or other extremely cold surfaces so they can be cleaned without defrosting.

### **USE CONCENTRATIONS**

At full strength, the product can be used at temperatures as low as -30° F. At a dilution of 2 parts **FREEZER-KLEEN** with 1 part water, the product can be effectively used at 0° F.

### **CONVENIENT**

Because **FREEZER-KLEEN** does not freeze when used on extremely cold surfaces, it is ideal for cleaning freezers without having to go through a defrost cycle.

### **SAFE**

**FREEZER-KLEEN** is a mildly alkaline material. It is safe for use on metals and other materials that are typically used in the construction of commercial freezers. A compatibility test on a small area is recommended before use.

### **AUTHORIZATION**

**FREEZER-KLEEN** is registered with the NSF Nonfood Program as class A5, for use as a general cleaner in freezers for floors and walls.

### **SAFETY & HANDLING PROCEDURE**

Wear goggles and impervious gloves when handling this product. If odors are notable or irritating, wear an air-purifying respirator. Keep out of reach of children.

### **GENERAL DIRECTIONS**

- 1) Remove contents of the freezer to a protected storage area to avoid chemical contamination.
- 2) Apply Freezer-Kleen to all surfaces. Scrub difficult soils with a brush or mop to remove.
- 3) Wait 5 minutes and then squeegee the floor of excess liquid.
- 4) Allow surfaces to dry before returning food to freezer.

### **PHYSICAL PROPERTIES**

Appearance.....Light Green Liquid  
 Odor .....Mild  
 Foam .....Low  
 pH of 1% Solution ..... 7.5 to 9.5  
 Pounds/gallon ..... 8.4 – 8.9

### **Seller Warranty**

CH<sub>2</sub>O brand test reagent refills are available through your sales representative at no charge. Customers are required to confirm product compatibility via a control test for their specific application. CH<sub>2</sub>O recommends that you perform regular/daily testing to control chemical levels and cycles of concentration within established limits. Additional tests may be performed at your request. Test reports reflect conditions at the point when the analysis was performed. Results will change over time and with varying operating conditions.

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose referred to in the product data sheet. Buyer is responsible to ensure that products and product dosages are appropriate for Buyer's particular application. Seller makes no other warranty or representation of any kind, express or implied, concerning the product, including NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OF THE GOODS FOR ANY OTHER PARTICULAR PURPOSE. No such warranties shall be implied by law and no agent of seller is authorized to alter this warranty in any way except in writing with a specific reference to this warranty. The exclusive remedy against seller shall be a claim for damages not to exceed the purchase price of the product, without regard to whether such a claim is based upon breach of warranty or tort. Jurisdiction for any issues arising from or relating to this product shall be in the courts of the State of Washington and the venue shall be Thurston County. Any controversy or claim arising out of or relating to this contract, or breach thereof, shall be settled by arbitration in accordance with the rules and procedures as stated in RCW 7.06 and shall be binding upon both parties without right to appeal, and judgment upon the award rendered by the Arbitrator(s) may be entered in any court having jurisdiction thereof.

Applies to all products sold by CH<sub>2</sub>O, Inc., and is hereby communicated to all of its customers as a condition of sale. Use of CH<sub>2</sub>O products is subject to the Standard Terms and Conditions as listed on CH<sub>2</sub>O, Inc.'s website at: [www.ch2o.com](http://www.ch2o.com).



VERSION DATE: March 14, 2022	REVISION DATE: NA; original issue
------------------------------	-----------------------------------

