



8820 Old Hwy 99 SE, Tumwater, Washington 98501, USA  
360-943-6063 800-562-6184 FAX 360-352-4813 www.ch2o.com



## SAFETY FOAM (CW-74) FOAMING BRUSH SOAP

### TYPICAL APPLICATIONS

**SAFETY FOAM (CW-74)** foaming brush soap is designed to break down and remove dirt, road soil, and salt deposits.

**SAFETY FOAM (CW-74)** foaming brush soap generates a thick lubricating foam with excellent rinsing properties. Economical to use because of the high dilution rates, **SAFETY FOAM (CW-74)** is also safe for all conventional and clear coat finishes. The pleasant cherry fragrance leaves the car smelling clean and fresh.

### DIRECTIONS FOR USE

**SAFETY FOAM (CW-74)** foaming brush soap is normally metered into car wash systems at a rate of 1/8 to 1/10 ounce per gallon of water. Suggested dilution ratio between 1000-1200:1, depending on the level of foam and lubrication desired.

### FREE RINSING

Select wetting agents in **SAFETY FOAM (CW-74)** foaming brush soap provide excellent lubrication and rinsing ability.

### SAFETY & HANDLING PROCEDURE

**SAFETY FOAM (CW-74)** foaming brush soap is a mildly alkaline surfactant solution. Safety glasses and impervious gloves should be worn when handling the concentrated product. No effects are anticipated from working with use-solutions in the intended product applications.

### CONTROL

Daily testing is recommended to maintain proper control. Failure to monitor and maintain treatment levels can cause damage. In addition to monitoring and maintaining treatment levels, it is the customer's responsibility to ensure the product is fit for its intended application. Additional testing may be performed upon request.

### PHYSICAL PROPERTIES

Appearance .....Bold Pink Liquid  
Odor .....Bold Cherry  
Pounds per Gallon ..... 8.5-9.0  
pH of 1% Solution ..... 10-11

### **Seller Warranty**

CH<sub>2</sub>O brand test reagent refills are available through your sales representative at no charge. Customers are required to confirm product compatibility via a control test for their specific application. CH<sub>2</sub>O recommends that you perform regular/daily testing to control chemical levels and cycles of concentration within established limits. Additional tests may be performed at your request. Test reports reflect conditions at the point when the analysis was performed. Results will change over time and with varying operating conditions.

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose referred to in the product data sheet. Buyer is responsible to ensure that products and product dosages are appropriate for Buyer's particular application. Seller makes no other warranty or representation of any kind, express or implied, concerning the product, including NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OF THE GOODS FOR ANY OTHER PARTICULAR PURPOSE. No such warranties shall be implied by law and no agent of seller is authorized to alter this warranty in any way except in writing with a specific reference to this warranty. The exclusive remedy against seller shall be a claim for damages not to exceed the purchase price of the product, without regard to whether such a claim is based upon breach of warranty or tort. Jurisdiction for any issues arising from or relating to this product shall be in the courts of the State of Washington and the venue shall be Thurston County. Any controversy or claim arising out of or relating to this contract, or breach thereof, shall be settled by arbitration in accordance with the rules and procedures as stated in RCW 7.06 and shall be binding upon both parties without right to appeal, and judgment upon the award rendered by the Arbitrator(s) may be entered in any court having jurisdiction thereof.

Applies to all products sold by CH<sub>2</sub>O, Inc., and is hereby communicated to all of its customers as a condition of sale. Use of CH<sub>2</sub>O products is subject to the Standard Terms and Conditions as listed on CH<sub>2</sub>O, Inc.'s website at: [www.ch2o.com](http://www.ch2o.com).

